ch3: tro (reviews stoich, coefficients, unit conversion w/mol & mm, EF, combustion) note: Stoich in

# Combustion Analysis of Organic Compounds: A Special Type of Empirical Formula Problem

### Information:

When compounds that contain carbon, hydrogen, and/or oxygen burn in air; carbon dioxide and water are the only reaction products. If a compound with unknown composition is burned, all of the carbon can be found in the carbon dioxide and all of the hydrogen will be found in the water. It is impossible to track the oxygen as some oxygen from air ends up in the products. It is possible to use the conservation of mass to calculate the mass of the oxygen present in the original compound.

# Model 1: Tracking the atoms in a combustion reaction

Example of a combustion reaction:

 $CH_3COOH + 2 O_2 ---> 2 CO_2 + 2 H_2O$ 

If 1 mole of CH<sub>3</sub>COOH is burned in excess oxygen, 2 moles of carbon dioxide and 2 moles of water are produced.

## **Critical Thinking Questions**

- 1. How many moles of carbon dioxide would be produced from 2 moles of CH<sub>3</sub>COOH?
- 2. How many moles of oxygen atoms originate from the organic compound if 1 mole of  $CH_3COOH$  is burned?
- 3. If 1 mole of CH<sub>3</sub>COOH is burned, what mass of CH<sub>3</sub>COOH reacts?
- 4. If 1 mole of CH<sub>3</sub>COOH is burned, what mass of CO<sub>2</sub> is produced?

5.	If 1 mole of $CH_3COOH$ is burned, what mass of $H_2O$ is produced?
6.	Use the Law of Conservation to determine the mass of oxygen reacted.
7.	Using your results from #4 and #5, determine the moles of hydrogen present in the
	water produced and the moles of carbon in the carbon dioxide produced.
8.	Compare your answers to #7 with the chemical formula of the compound being reacted.
9.	If you did not know the formula of the original organic compound, but did know it contained carbon and hydrogen, how could you use information about the moles of carbon dioxide and water formed by the reaction to determine the moles of carbon and hydrogen in the compound?

.

# **Model 2: Some Combustion Data**

A 1.50 g sample of hydroc	arbon undergoes	complete combustion	to produce 4.4	$0 g of CO_2$
and $2.70 g$ of $H_2O$ .				

Cri	Critical Ininking Questions		
10.	Why does the total mass of product produced exceed the mass of the hydrocarbon reacted?		
11.	Where did all of the carbon and hydrogen from the original compound end up at the completion of the reaction?		
12.	Would it be true that the moles of carbon in the carbon dioxide is equal to the moles of carbon in the hydrocarbon? Explain.		
13.	Would it be true that the mass of carbon in the carbon dioxide is equal to the mass of carbon in the hydrocarbon? Explain.		
14.	Use the given information to determine the moles of carbon and moles of hydrogen in the carbon dioxide and water produced by the combustion reaction.		

15. Determine the empirical formula of the hydrocarbon.

# Model 3: Compounds with oxygen

A 0.2500 g sample of a compound known to contain carbon, hydrogen and oxygen undergoes complete combustion to produce 0.3664 g of  $CO_2$  and 0.1500 g of  $H_2O$ . What is the empirical formula of this compound?

# **Critical Thinking Questions**

11	** .1 * CO .*	n to determine the mass of oxygen that react	1.0
1 6	THEATHAL AWART ANCANTATION	i to datarmina tha macc ot ovugan that react	aa tram tha air
LU.	OSE LITE LAW OF COMSET VALIOR	i to determine the mass of oxygen that react	cu nom me an.

17.	Do the calculations necessary to show that the amount of carbon in the original
	hydrocarbon is about 0.10 g and the amount of hydrogen in the original compound is
	about 0.017 g.

- 18. Why does the total mass of carbon and hydrogen not add up to the original mass of the original compound?
- 19. Use the Law of Conservation to determine the mass of oxygen in the original compound.
- 20. Use the data to determine the empirical formula of the compound.

# **Problem to Try**

Quinone, which is used in the dye industry and in photography, is an organic compound containing only C, H, and O. What is the empirical formula of the compound if you find that 0.105~g of the compound gives 0.257~g of  $CO_2$  and 0.0350~g of  $H_2O$  when burned completely?